

charged to our Deposit Account No. 02-2556 in the amount of One Hundred Dollars (\$100).

It is respectfully requested that a Certificate of Correction be issued to correct these printing errors in the above-identified patent.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Arnold B. Silverman", with a horizontal line extending to the right.

Arnold B. Silverman
Registration No. 22,614
Attorney for Applicant

(412) 566-2077

MAR 04 2005

MAR 04 2005

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,793,574 B1
DATED : September 21, 2004
INVENTOR(S) : Larry Dwight Robinson

It is certified that errors appear in the above-identified patent and that said Letters Patent should be corrected as shown below:

Col. 2, line 52, "filly" should read --fully--.

Col. 4, line 28, "modifications. provided", should read --modifications provided--.

Col. 4, line 45, "110,112" should read --110, 112--.

Col. 4, line 46, "122,126" should read --122, 126--.

Col. 5, line 36, "maybe" should read --may be--.

Col. 8, line 30, "passageway" should read --passageways--.

Col. 8, line 38, "passageway" should read --passageways--.

1 of 1

MAILING ADDRESS OF SENDER:

Sally Novosel, Docket Administrator
ECKERT SEAMANS CHERIN & MELLOTT, LLC
600 Grant Street, 44th Floor
Pittsburgh, PA 15219

PATENT NO. 6,793,574

No. of add'l. copies

@ 50¢ per page

⇒

MAR 04 2005